

TRIPLE SEALED

TRADE-MARK Face Sealed

FOR LONGER LIFE AND LASTING BEAUTY



Please Note—When ordering materials from this book, check specifications with current price list.

CELOTEX SHINGLES SIDING • ROLL ROOFING

The "Triple Sealed" insignia is more than a mere trademark identifying a product . . . it is the story of a process used in manufacturing Celotex Asphalt Shingles, Siding and Roll Roofing. The three seals that provide added years of service and greater protection are your assurance of satisfaction. Look for the "Triple Sealed" trade-mark . . . it's a sign of highest quality . . . always.

THE CELOTEX CORPORATION • CHICAGO, ILLINOIS

From Rags to Riches- The STORY of CELOTEX ROOFING



Strange as it seems, asphalt roofing is made partly from rags. But even in rags there is a difference. Those used in Celotex Asphalt Roofing are selected and graded by hand, dusted, cleaned and carefully processed. This rag stock is made into clean felt, uniformly thick and dense, on up-to-date cylinder machines. Asphalts used are from selected crude oils processed and chemically checked. Granules mined from Mother Earth, or scientifically manufactured, meet rigid specifications. Finally, samples of finished roofing are carefully tested against Celotex standards of perfection. Thus, the true story of "From Rags to Riches" is enacted every day in the making of Celotex Asphalt Roofing, resulting in rich colors, and superior quality.

Vears of Extra Life - The STORY of TRIPLE SEALING



- Inner Sealed: By special process, asphalt is forced into felt base from one side only! Air and moisture is driven out ahead of the asphalt.
- Outer Sealed: The saturated base is next dipped in an asphalt bath—encased in a second seal.
- Face Sealed: Finally, a tempered mineral-filled asphalt coating is applied—thus forming a tough, durable third seal.

It is now a known fact that many roof and siding materials aid in destroying themselves—that tiny air and moisture bubbles trapped inside during manufacture, expand and contract with each temperature change, thus causing a weakening of structure that eventually leads to trouble! The Celotex "Triple Sealed" Process drives out pocketed air and moisture—gives 3-way protection against costly self-destruction. Thus Celotex Triple Sealed roofing and siding is sealed from the inside-out against the elements and against self-destruction. Follow the manufacturing progress on the next page.

SEAL NO. 1

As the asphalt is forced into the felt from the front side only, it gradually "bleeds" through and out the back as shown here. Front

Back

SEAL NO. 2

After the inside of the felt is thoroughly saturated and filled Seal No. 2 is applied by submerging the entire piece in asphalt. Seal No. 1 under Seal

SEAL NO. 3



GRANULE FINISH

Now colored fireproof granules are firmly embedded in a coating of asphalt on top of the "Triple Sealed" base.

Seal No. 3 under Granule Finish





Tested for Weather

EVERYWHERE


No matter how beautiful a roof may be, if it cannot withstand the climate where it is used, it fails as a roof. Celotex Asphalt Shingles, Siding and Roll Roofing are rigidly tested for weather. Severe cold, excessive heat, torrential rains, violent winds, spanking, scrubbing with wire brushes, beating—all are a part of the tests applied to Celotex Triple Sealed Roofing Products. Nature is a tough taskmaster and Celotex uses her methods to make your Celotex Triple Sealed Asphalt Roof proof against weather—everywhere.



FOR YOUR PROTECTION











to exposed area.

For Your Protection by CELOTEX



SHAD-O-GRAIN SHINGLES



Edge View: Raised granules in blended colors spaced at varied distances. Irregular lines cast shadows between the graining, adding depth to the colorful finish.

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

COLORS
GRAY BLEND*
GREEN BLEND,
RED BLEND*
BROWN BLEND


*Available at all factories except Richmond. Color shown on reverse side GREEN BLEND.







SHAD-O-GRAIN SHINGLES



Side View: Extra coat of asphalt and granules on top of regular granule coating gives extra body to exposed area.

Edge View: Raised granules in blended colors spaced at varied distances. Irregular lines cast shadows between the graining, adding depth to the colorful finish.

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

COLORS
GRAY BLEND*
GREEN BLEND*
RED BLEND*
BROWN BLEND


*Available at all factories except Richmond. Color shown on reverse side GRAY BLEND.







SHAD-O-GBAIN SHINGLES



Side View: Extra coat of asphalt and granules on top of regular granule coating gives extra body to exposed area.


Edge View: Raised granules in blended colors spaced at varied distances. Irregular lines cast shadows between the graining, adding depth to the colorful finish.

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE 5 inches	
HEADLAP 2 inches	
WEIGHT260 pounds	
per square—80 slabs to a square—3 bundles in	
one square.	


COLORS GRAY BLEND* GREEN BLEND* RED BLEND* BROWN BLEND*

*Available at all factories except Richmond. Color shown on reverse side RED BLEND.





SHAD-O-GBAIN SHINGLES



Side View: Extra coat of asphalt and granules on top of regular granule coating gives extra body to exposed area.

Edge View: Raised granules in blended colors spaced at varied distances. Irregular lines cast shadows between the graining, adding depth to the colorful finish.

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE 5 inches	COLORS
HEADLAP2 inches	GRAY BLEND*
WEIGHT260 pounds	GREEN BLEND
per square—80 slabs to a square—3 bundles in	RED BLEND*
one square.	BROWN BLEND


*Available at all factories except Richmond. Color shown on reverse side BROWN BLEND.





THREE-TAB EDGSEAL SHINGLES

Side View: The extra coating of asphalt and granules applied to face, back and edge by special dip process seals edge, adds weight and wearing surface where needed to tab.





Edge View: Showing the two coats of granules and extra coat of tempered mineral filled asphalt on face side, one extra coat of granules and asphalt on edge and back.

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE	5 incl	ıes
HEADL&P	2 incl	ıes
WEIGHT	230 pour	$_{ m ids}$
•	-80 slabs in one square—3 bund	les
in one squa	e.	

LAWN GREEN BRIGHT RED BLEND*

BRIGHT GREEN BLEND GRAY GREEN BLEND**

COLORS

*Available at Marseilles and York factories only.

**Not available at Kansas City factory.

None available at Richmond factory.

Color shown on reverse side is BRIGHT RED BLEND.








THREE-TAB EDGSEAL SHINGLES

Side View: The extra coating of asphalt and granules applied to face, back and edge by special dip process seals edge, adds weight and wearing surface where needed to tab.





Edge View: Showing the two coats of granules and extra coat of tempered mineral filled asphalt on face side, one extra coat of granules and asphalt on edge and back.

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL


EXPOSURE 5 inches
HEADLAP
WEIGHT230 pounds
per square—80 slabs in one square—3 bundles
in one square.

COLORS LAWN GREEN

BRIGHT RED BLEND* BRIGHT GREEN BLEND GRAY GREEN BLEND**

^{*} Available at Marseilles and York factories only.

^{**}Not available at Kansas City factory. None available at Richmond factory. Color shown on reverse side is BRIGHT GREEN BLEND.






For Your Protection by



THICK-BUTT SHINGLES

Side View: Double surface construction-a coat of tempered filled asphalt and granules applied over regular granule surface finish.



Edge View: Built-up construction provides two coats of granules, and one added seal of asphalt over "Triple Sealed" base.

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE5 inches

HEADLAP2 inches

WEIGHT210 pounds

per square-80 slabs per square — 3 bundles in one

square.

BRICK RED

OLD STANDARD GREEN*

LAWN GREEN

BLUE BLACK**

GREEN BLEND RED BLEND**** COLORS

SLATE BLEND***

PURPLE SLATE BLEND

BROWN**** ALUMINUM

RANCHO BROWN

BLUE ****

*Not available at East St. Louis, Richmond or Kansas City factories.

**Not available at Kansas City factories.

***Not available at Richmond or Kansas City factories.

****Not available at Richmond factory.

***** Available at Richmond factory only.


Color shown on reverse side is PURPLE SLATE BLEND.







THICK-BUTT SHINGLES



Side View: Double surface construction-a coat of tempered filled asphalt and granules applied over regular granule surface finish.

Edge View: Built-up construction provides two coats of granules, and one added seal of asphalt over "Triple Sealed" base.

UNDERWRITER'S CLASS C LABEL SPECIFICATIONS

EXPOSURE	LAWN GREEN* BLUE BLACK* GREEN BLEND***	COLORS PURPLE SLATE BLEND** ALUMINUM* BRICK RED** RANCHO BROWN****
per square—80 slabs per square—3 bundles in one square.	RED BLEND*** SLATE BLEND***	RANCHO BROWN**** BLUE****

*Not available at East St. Louis or Kansas City factories.

Color shown on reverse side is SLATE BLEND.

^{**} Available at York and Richmond factories only.


^{***}Not available at East St. Louis, Kansas City or Richmond factories.

^{****} Available at Richmond only.





VER-STYLE SHINGLES




SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .	5 inches	COLORS
	$\dots \dots $	LAWN GREEN*
		RED BLEND
ner square—72	2 slabs per square—2 bundles in	GRAY GREEN BLEND**
one square.	1	GREEN BLEND


^{*}Not available at Niagara Falls, Port Wentworth or York factories.

^{**}Not available at Marseilles or Port Wentworth factories. None available at Richmond. Color shown on reverse side is GRAY GREEN BLEND.





CUT-OUT SHINGLES



SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE	COLORS BRICK RED* STANDARD GREEN
per square—100 slabs per square—2 bundles in one square.	LAWN GREEN* BLUE BLACK* ALUMINUM*


*Available at Richmond factory only. Color shown on reverse side is BRICK RED.








CUT-OUT SHINGLES



SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE4 inches	COLORS
HEADLAP $4\frac{1}{2}$ inches	BRICK RED*
WEIGHT266 pounds	OLD STANDARD GREEN
per square—100 slabs per square—3 bundles in	LAWN GREEN*
one square.	BLUE BLACK*


^{*}Not available at Kansas City or Richmond factories. Color shown on reverse side is OLD STANDARD GREEN.







STANDARD HEXAGONAL SHINGLES



SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE $4\frac{2}{3}$ inches
HEADLAP2 inches
WEIGHT 167 pounds
per square—86 slabs per square—2 bundles in one square.

COLORS OLD STANDARD RED BRICK RED OLD STANDARD GREEN LAWN GREEN BLUE BLACK

COLOR BLEND RED BLEND** GREEN BLEND** ALUMINUM PURPLE SLATE BLEND* BLUE***

Color shown on reverse side is OLD STANDARD RED.

^{*}Available at Marseilles and Niagara Falls factories only.


^{**}Not available at Richmond factory.

^{***}Available at Richmond factory only.





HEXAGONAL SLAB SHINGLES



UNDERWRITER'S CLASS C LABEL SPECIFICATIONS •

EXPOSURE42/3 inches	COLORS
HEADLAP 3 inches	BRICK RED*
WEIGHT187 pounds	LAWN GREEN
per square—86 slabs per square—2 bundles in	BLUE BLACK**
one square.	


^{*}Available at Port Wentworth and York factories only.

^{**} Available at East St. Louis, Port Wentworth and York factories only. None available at Richmond. Color shown on reverse side is BLUE BLACK.





NOUBLE COVERAGE HEXAGONAL SHINGLES



Note: These specifications apply to Richmond factory only.

Headlap43 inches Weight 220 pounds

per square-102 slabs per square-2 bundles in one square.

COLORS

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE4 inches
HEADLAP4 inches
WEIGHT, 215 pounds
per square—102 slabs per square
-2 bundles in one square.

OLD STANDARD GREEN* LAWN GREEN BLUE BLACK**

RED BLEND***

GREEN BLEND* BRICK RED* **ALUMINUM***

*Not available at East St. Louis, Port Wentworth, Richmond or York factories.


**Not available at East St. Louis, Kansas City or Port Wentworth factories.

***Not available at East St. Louis, Port Wentworth, Richmond or York factories.

**** Available at Marseilles and Niagara Falls factories only.

***** Available at Richmond factory only.

Color shown on reverse side is RED BLEND.





LOK-LAY SHINGLES



4" SIDE LAP

UNDERWRITER'S CLASS C LABEL SPECIFICATIONS

EXPOSURE $7\frac{1}{2}$ inches
HEADLAP 3 inches
WEIGHT138 pounds
per square—80 *slabs per square—2
bundles in one square.

BRICK RED* LAWN GREEN BLUE BLACK** COLOR BLEND GREEN BLEND** RED BLEND***

COLORS

ALUMINUM PURPLE SLATE BLEND*** BROWN BLEND*** OLD STANDARD GREEN PURPLE BLEND* RANCHO BROWN BLEND


Color shown on reverse side is COLOR BLEND.

^{*}Not available at Marseilles or Niagara Falls factories.

^{**}Not available at Kansas City or Marseilles factories.

^{***}Not available at Richmond factory.

^{****} Available at Richmond factory only.





LOK-LAY SHINGLES



H-16"-N 4" SIDE LAP

SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE $7\frac{1}{2}$ inches
HEADLAP3 inches
WEIGHT138 pounds
per square—80 slabs per square—2
bundles in one square.

BRICK RED* LAWN GREEN BLUE BLACK** COLOR BLEND GREEN BLEND*** RED BLEND***

COLORS

ALUMINUM PURPLE SLATE BLEND BROWN BLEND*** OLD STANDARD GREEN PURPLE BLEND* RANCHO BROWN BLEND****


Color shown on reverse side is BROWN BLEND.

^{*}Not available at Marseilles or Niagara Falls factories.

^{**}Not available at Kansas City or Marseilles factories.


^{***}Not available at Richmond factory.

^{****} Available at Richmond factory only.





HEX-LOX SHINGLES



SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE	COL	ORS
HEADLAP $2\frac{1}{2}$ inches	BRICK RED*	RED BLEND*
WEIGHT135 pounds	LAWN GREEN*	GREEN BLEND
per square — 82 slabs per square — 2	BLUE BLACK*	ALUMINUM*
bundles in one square.	COLOR BLEND*	

*Available at East St. Louis, Port Wentworth and York factories only. Color shown on reverse side is LAWN GREEN.





FIDELESSALED For Your Protection by CELOTEX




SELF-SPACING INDIVIDITAL SHINGLES



SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE 5 inches	COLORS
HEADLAP6 inches	LAWN GREEN
WEIGHT337 pounds	BLUE BLACK*
per square—236 slabs per square—4 bundles in	
one square.	


^{*}Not available at East St. Louis, Kansas City or Richmond factories. Color shown on reverse side is BLUE BLACK.







HIP AND RIDGE SHINGLES




SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE4 inches	COLORS
HEADLAP $4\frac{3}{4}$ inches	BRICK RED
WEIGHT253 pounds	LAWN GREEN BLUE BLACK*
per square—380 slabs per square—4 bundles in	GREEN BLEND**
one square.	COLOR BLEND**

*Not available at Kansas City factory.


^{**} Available at Kansas City factory only. None available at Richmond factory. Color shown on reverse side is BRICK RED.





COLODS


STRAIGHT EDGE INDIVIDUAL SHINGLES



SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EVDOCTIDE	COLORS	
EXPOSURE	BRICK RED*	BLUE BLACK*
WEIGHT252 pounds	OLD STANDARD RED* LAWN GREEN*	ALUMINUM*
per square—380 slabs per square—4	OLD STANDARD GREEN*	COLOR BLEND
bundles in one square.	RANCHO BROWN*	BLUE*


*Available at Richmond factory only. Color shown on reverse side is BROWN.







DUTCH LAP SHINGLES



SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL


EXPOSURE	es COLORS
HEADLAP 2 inch	es BRICK RED*
WEIGHT135 poun	ds LAWN GREEN*
per square—112 slabs per square—2 bundles	BLUE BLACK
	RLIE*
one square.	DLUE

*Available at Richmond factory only. Color shown on reverse side is LAWN GREEN.





SUBFLINE SHINGLES



SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE42/3 inches	COLORS
HEADLAP2 inches	BRICK RED*
WEIGHT168 pounds	LAWN GREEN
per square—86 slabs per square—2 bundles in	BLUE*
one square.	ALUMINUM*


*Available at Richmond factory only. Color shown on reverse side is ALUMINUM.





For Your Protection by

BRIK-FACE EDGSEAL SIDING



SPECIFICATIONS

EXPOSURE3 inches
HEADLAP1 inch
WEIGHT 230 pounds
$per \ \ square 132 \ \ slabs$
per square — 4 bundles
in one square.

BLACK MORTAR LINE

1 1	IL	
Color	No.	1
Color	No.	3
BRICK	K RI	$\mathbf{E}\mathbf{D}$

TVDE

GRANULE MIX

RED, BUFF, BROWN* BLUE-BLACK, RED, BUFF** BRICK RED***

WHITE MORTAR LINE

Color	No.	1
Color	No.	3
Color	No.	4
BRICK	RE	CD

RED, BUFF, BROWN BLUE BLACK, RED, BUF BUFF, RED, WHITE BRICK RED

BROWN MORTAR LINE

- *Available at East St. Louis, Marseilles and Niagara Falls factories only.
- **Not available at Kansas City, Richmond and Port Wentworth factories.
- ***Not available at Kansas City, Marseilles, Richmond and Port Wentworth factories.


Color No. 4

BUFF, RED, WHITE ****Not available at Kansas City, Richmond or Port Wentworth

factories. *Available at East St. Louis and York factories only.

*Not available at Kansas City, Richmond or Port Wentworth factories.


Color shown on reverse side is BLACK MORTAR LINE—COLOR No. 3, BLUE-BLACK, RED. BUFF.





For Your Protection by

RRIK-FACE EDGSEAL SIDING



SPECIFICATIONS

EXPOSURE3 inches		BLACK MORTAR LIN	F
HEADLAP1 inch WEIGHT230 pounds			
per square — 132 slabs per square — 4 bundles in one square.		WHITE MORTAR LIN	F
	73		

E			

TYPE

Color No. 1 Color No. 3

BRICK RED

Color No. 1 Color No. 3 Color No. 4 BRICK RED

GRANULE MIX

RED. BUFF, BROWN* BLUE-BLACK, RED, BUFF** BRICK RED***

RED. BUFF, BROWN* BLUE-BLACK, RED, BUFF BUFF, RED, WHITE' BRICK RED****

BROWN MORTAR LINE

*Available at East St. Louis, Marseilles and Niagara Falls factories only.

**Not available at Kansas City, Richmond and Port Wentworth factories.

***Not available at Kansas City, Marseilles, Richmond and Port Wentworth factories.

Color No. 4

BUFF, RED, WHITE

****Not available at Kansas City, Richmond or Port Wentworth factories.

Available at East St. Louis and York factories only. *Not available at Kansas City, Richmond or Port Wentworth factories.

Color shown on reverse side is WHITE MORTAR LINE—COLOR No. 1, RED, BUFF, BROWN.






For Your Protection by



BRIK-FACE EDGSEAL SIDING



SPECIFICATIONS

$\begin{array}{lll} HEADLAP.\dots.1 & inch\\ WEIGHT230 & pounds \end{array}$
WEIGHT 230 pounds
per square 132 slabs
per square — 4 bundles
in one square.

BLACK MORTAR LINE

TYPE
Color No. 1
Color No. 3
BRICK RED

GRANULE MIX RED, BUFF, BROWN* BLUE-BLACK, RED, BUFF** BRICK RED***

WHITE MORTAR LINE

Color No. 1 Color No. 3 Color No. 4

RED, BUFF, BROWN****
BLUE-BLACK, RED, BUFF***
BUFF, RED, WHITE****
BRICK RED*****

BROWN MORTAR LINE

BRICK RED Color No. 4

BUFF, RED, WHITE*****

Kansas City. Richmond or Port Wentwort

*Available at East St. Louis, Marseilles and Niagara Falls factories only.

**Not available at Kansas City, Richmond and Port Wentworth factories.

Not available at Kansas City, Marseilles, Richmond and Port Wentworth factories. *Not available at Kansas City, Richmond or Port Wentworth factories.

***** Available at East St. Louis and York factories only.


*****Not available at Kansas City, Richmond or Port Wentworth factories.

Color shown on reverse side is WHITE MORTAR LINE—COLOR No. 4, BUFF, RED, WHITE.





BRIK-FACE THICK BUTT SIDING



SPECIFICATIONS

EXPOSURE3 inches
HEADLAP1 inch
WEIGHT 175 pounds
per square — 134 slabs
per square — 3 bundles
in one square.

		~ ~~~~
BLACK	MORTAR	LINE

T	YP	E	
Color	N	ο.	301
\mathbf{BRIC}	K	R	ED

RED, BUFF, BROWN* BRICK RED*

AR LINE
R LIN

Color	INO.	201
Color	No.	303
Color	No.	304
BRIC	KR	ED

RED, BUFF,	BROWN*
BLUE-BLACK,	RED, BUFF
BUFF, RED,	WHITE*
BRICK	RED*

GRANULE MIX


BROWN MORTAR LINE

Color No. 304

BUFF, RED, WHITE*

*Available at East St. Louis, Niagara Falls and York factories only. Color shown on reverse side is


BROWN MORTAR LINE—COLOR No. 304, BUFF, RED, WHITE.







BRIK-FACE THICK BUTT SIDING



SPECIFICATIONS

EXPOSURE3 inches
HEADLAP1 inch
WEIGHT175 pounds
per square — 134 slabs
per square — 3 bundles
in one square.

T	Y	PΙ	45	
Color	N	о.	301	,
BRIC	K	R	ED	

GRANULE MIX RED, BUFF, BROWN* BRICK RED*

WHITE MORTAR LINE

Color No. 301 Color No. 303 Color No. 304 BRICK RED


RED, BUFF, BROWN* BLUE-BLACK, RED, BUFF* BUFF, RED, WHITE* BRICK RED*

BROWN MORTAR LINE

Color No. 304


BUFF, RED, WHITE*

*Available at East St. Louis, Niagara Falls and York factories only. Color shown on reverse side is WHITE MORTAR LINE—BRICK RED.





FOUR POINT HEX SIDING



SPECIFICATIONS

EXPOSURE 5 inches	COLORS
HEADLAP1 inch	BRICK RED*
WEIGHT148 pounds	LAWN GREEN
per square—80 slabs per square—2 bundles in	BUFFTONE*
one square.	

*Available at Marseilles and York factories only. Color shown on reverse side is BUFFTONE.



This Mark and

this name



IS YOUR ASSURANCE OF QUALITY